AUTOMATIC WATERING SYSTEMS

Edstrom Flex Tube System

The superior quality and versatility of the Edstrom Flex Tube System mean it can tackle almost any small-animal automatic watering needs. Edstrom valves and accessory components make do-it-yourself installation simple and practical. For water supply, use an A225 Filter and Pressure Control Kit, an A204 or A604 Regulator, or an A203 Float Valve Tank. Run a distribution line to your cages and mount a pipe section so the valves are slightly above standing height for the animal (8 to 9" above floor level for rabbits). Debris in the water supply - rust flakes, scale, silt, etc., is the major cause of valve leakage. For safety, an upstream In-line Water Filter (A206) is recommended.



A102 valve & A108 valve clip



A216

STANDARD DRINKING VALVES AND CLIPS					
(We recommend this series for rats & rabbits. The Vari-Flo series is for mice)					
ITEM	Stock No.	Price Each			Ship.
112.11		1-5	6-99	100+	wt
Standard Valve, 3/16" barb, brass cap	A102	\$4.77	\$4.77	\$4.35	6 lbs/100
Valve clip for A102	A108	\$0.60	\$0.60	\$0.54	1 lb/100
Standard Valve, 1/8", threaded brass cap	A107	\$4.77	\$4.77	\$4.35	6 lbs/100
WATER SUPPLY C	OMP	ONENT	rs		
Tank Connector 3/16" with strainer & shut-off	A202	\$11.60	\$10.50	\$10.50	2 oz
Tank Connector for ½" PVC	A003	\$16.90	\$15.70	\$15.70	3 oz
3/16" barb x 3/4" FGT cap	A227	\$2.70	\$2.46	\$2.46	2 oz
1 gal Float Tank, auto-fill with tubing outlet	A203	\$38.00	\$38.00	\$38.00	2 lbs
Pressure Regulator Station, with filter	A225	\$208.00	\$208.00	\$208.00	9 lbs
Pressure Regulator for PVC pipe systems	A204	\$49.40	\$42.10	\$42.10	2 lbs
Pressure Regulator for 3/16" and %" tubing lines	A640	\$53.20	\$45.20	\$45.20	2 lbs
Filter, flushable, 80 micron	A206	\$55.30	\$49.40	\$49.40	1 ½ lbs
Replacement screen for tank connector	A207	\$1.30	\$1.20	\$1.20	2 oz
Tee Adaptor Coupling - 1/8" FPT (glued between	A224	\$1.47	\$1.47	\$1.32	6
Pressure Gauge, 1-15 PSI with 1/8" MPT stem	A712	\$24.30	\$22.60	\$22.60	1/4 lb
REPLACEMENT PARTS FOI	R STAN	DARD V	VALVES		
Diaphragm, for standard valves with old-style plastic caps	A208	\$0.44	\$0.44	\$0.41	
Diaphragm, for standard valves with brass caps	A209	\$0.44	\$0.44	\$0.41	
O-Ring, for all standard valves	A210	\$0.31	\$0.31	\$0.29	
Stem, for all standard valves	A211	\$0.58	\$0.58	\$0.53	
Brass cap, barbed	A212	\$1.54	\$1.54	\$1.40	3 lbs/100
Brass cap, threaded	A215	\$1.84	\$1.84	\$1.67	3 lbs/100
Brass Nipple, with "O" ring	A216	\$2.95	\$2.95	\$2.69	3 lbs/100

Phone:1-800-237-3899 Email: klubertanz@ticon.net Web: www.klubertanz.com

EDSTROM Adjustable Flow Valves

A301		A303
	A304	A305
A302	A504	A307

EDSTROW Adjustable Flow Valves						
VARI-FLO DRINKING VALVES AND CLIPS (We recommend this series for mice and the Standard series for rabbits)						
Item	Stock	Price Each			GI. 4	
	No.	1-5	6-99	100+	Ship. wt	
Vari-Flo, 3/16" barb cap, all brass	A301	\$4.23	\$4.23	\$3.94	4 lbs/100	
Valve Clip for A301 valve only	A302	\$0.66	\$0.66	\$0.60	1 lb/100	
Vari-Flo, 1/8" threaded cap, all brass	A303	\$4.23	\$4.23	\$3.94	5 lbs/100	
REPLACEMENT PARTS FOR VARI-FLO VALVES						
Diaphragm, for Vari-Flo Valves	A304	\$0.40	\$0.40	\$0.34	⅓ oz.	
Internal Pink O-Ring	A305	\$0.32	\$0.32	\$0.29	⅓ oz.	
External Black O-Ring	A307	\$0.32	\$0.32	\$0.28	⅓ oz.	
Stem, for Vari-Flo Valves	A306	\$0.64	\$0.64	\$0.59	2 oz.	

ACCESSORIES FOR EDSTROM WATERING SYSTEMS



Guinea Pig and Mouse Valves by Edstrom®

Rugged stainless steel construction. The outside cylinder protects the stem from certain animals that like to play with the nipples and create an excessive waste of water. These valves have Variflo® technology that





allows adjustment of water flow by turning the nipple clockwise into the outer valve housing.

For Flexible Tubing Systems:	
Stock No. A864, valve with 3/16" barbed t	ip\$4.95 ea.
Stock No. A302, mounting clip for above .	
For PVC Pipe Systems:	
Stock No. A855, with 1/8" MPT thread	\$4.95 ea.
Replacement Parts for A864 and A855 model	's:
Diaphragm:	
Stock No. A304\$0.40 ea	100+ @ \$0.34 ea.
Internal O-ring:	<u> </u>
Stock No. A305\$0.32 ea	100+ @ \$0.29 ea.
External O-ring:	<u> </u>
Stock No. A862	\$ 0.39 ea.
Stem:	
Stock No. A863	\$ 0.34 ea.

Monoflo® Stainless Water Valves

• Chew-proof stainless construction ·Ideal for rabbits and poultry

The weight of the upper stainless valve seat is engineered to rest firmly on the top of the valve body, thus cutting off the water flow. This design eliminates the need for a spring or diaphragm to regulate water flow.



Valve installation must be vertical! (Perpendicular to the cage floor). For mammals that chew, place 1/2" PVC

A600

between back-to-back cages. Cut a 3"W X 6"H hole for valve access. Use a separate valve for the back side cage.

Do not install PVC pipe inside the cage with rabbits. You will have chewing damage to the pipe.

Individual Monoflo valves:

Stock No. A600\$1.80 ea.100+ @ \$1.59 ea.

Sealed case of 300 Monoflo valves (Ship. Wt. 13 lbs).

Stock No. A649\$312.00 ea.

Parrot Water Valve by Edstrom®

Rugged stainless steel construction. Designed for parrots, macaws, and cockatoos.

Designed with 1/2" MPT threaded connection that screws into standard 1/2" PVC tees. Recommended pressure of 15 PSI. Shipping wt. for valves 1½ lbs. / dozen.



Stock No. A860	•••••	
\$9.90 ea40-9	9 @ \$9.50 ea.	100+ @ \$8.88 ea.
	O	
Replacement diaphragm:		
Stock No. A861	\$0.52 ea	100+ @ \$0.48 ea.

Maxiflo® Pressure Regulator

A high-quality regulator used in large commercial operations. The inlet has ½" MPT and the outlet has 3/4" MPT. Ship. Wt. 2 lbs.

Stock No. A709\$76.20 ea.



Water Pressure Gauge 1/8" MPT

Stock No. A712.....\$24.30 ea.6+@\$22.60 ea.



Tank Connector

Fits 1/2" PVC pipe

Stock No. A003 \$16.90 ea.6+ @ \$15.70 ea.



Wire Kwik Clip

For ¾ O.D. pipe.

Stock No. A813.....\$5.80 / box of 100



Phone:1-800-237-3899 Email: klubertanz@ticon.net Web: www.klubertanz.com

Page: 29

AUTOMATIC WATERING SYSTEMS

LIXIT® Model L-130 Stainless Steel Valve


Superior, spring-loaded design is drip-free. Proven successful for rabbits, Guinea pigs, chinchilla, hamsters, rats, and mice. 1/8" MPT. Ship. Wt. 3 lbs/100.



Stock No. A001.....\$5.90 ea.

TEE ADAPTOR COUPLING 1/8" FPT

For 1/8" Threaded Valves. Glue between 1/2" PVC pipe sections. Ship. wt. 6 lbs / 100.





CHEMILIZER MEDICATOR

Pumps Are Not All The Same



The Chemilizer pump motor has a diaphragm. This prevents wearing of the piston and the cylinder walls, which causes inaccuracies in metering, a major problem in low-flow systems. Minimum water flow required is 29 gal/day. 2-year factory warranty. Ship. Wt. 6 lbs.

Stock No. A888.....\$ 238.60 ea.

Designing An Automatic Watering System?

Please feel free to call us regarding your watering needs and plans. We'd be glad to help you design a reliable system that fits your needs.

DEW DROP VALVES

This drip-proof valve does not depend on water pressure for stem seating. It is springloaded and will not drip at zero water pressure. Now with a stainless steel stem for



longer life. Each component is machined to strict tolerances for trouble-free operation. Neoprene O-ring seal assures positive drip control. Standard ½" MPT body thread for installation directly into galvanized pipe or use with our PVC pipe saddles or couplings with ½" PVC pipe. Ship. Wt. 3 lbs / 100

Lixit® Model L-70 Automatic Dog Waterers

- •The only center flow nipple
 •Ideal for dogs & other
 animals
- •Animals learn to use without training
- •Finest stainless steel construction. Quality ½" threads screw into ½" tees
- •Operates at 1 to 100 PSI water pressure
- •Unaffected by solid freeze up
- •Protected by domed filter screen



Complete Unit Ship. wt. ¼ lb. ea. Stock No AL01.....\$9.90 ea.

Repair Kit for AL01 Dog Waterer

Includes screw, seal, screen, boot and spring.

Stock No. AL02...\$2.20 ea.

Lixit® Faucet Dog Waterer

Screws directly onto outside water faucets. Saves time and provides fresh, sanitary drinking water. Shipping wt. 1/4 lb.



Phone:1-800-237-3899 email: klubertanz@ticon.net Web: www.klubertanz.com

HEAT CABLES AND CONTROLS

High Wattage Cables



These cables are for use in preventing water line freeze-ups in areas with extended periods of low temperatures. Each combination of lengths and wattage below provides 5 watts / ft of cable, which is adequate to protect water lines down to 10 °F. For protection to zero Fahrenheit, install two cables into the line. All models listed are 120 V cables. **CAUTION:**

Heat cables must not be shortened or spliced. Heat cables cannot be used with 3/16" or 3/8" plastic flexible tubing.

Length Watts		A mns	Stock	Price	Ship. wt.	
Length Watts	watts	Amps	No.	1-5	6+	(lbs)
34 ft	165	1.4	A034	\$42.80	\$38.90	2
54 ft	270	2.3	A054	\$51.40	\$46.70	2
80 ft	400	3.4	A080	\$66.60	\$60.50	3
105 ft	530	4.5	A105	\$77.70	\$72.90	3
136 ft	680	5.7	A136	\$84.60	\$79.50	3
160 ft	800	6.7	A160	\$102.70	\$96.40	3
200 ft	1000	8.3	A200	\$111.30	\$108.20	3
240 ft	1200	10.0	A240	\$123.90	\$120.60	4
270 ft	1350	11.3	A270	\$133.60	\$129.90	5

Heat Cable Thermostat

Air controlled. Turns on at 35 °F. Has an 1800 Watt capacity. Two plug receptacles.



Stock No. AT02.....\$ 20.60 ea.

Compression Fittings

Used to bypass shutoff valves and to enter and exit your pipe, with your heat cables. Threads are 1/8" MPT.



Stock No. A141.....\$ 1.35 ea.

Freeze-X® Recirculating System

Unique design allows float-controlled reservoir to serve as standard breaker tank regulator for your automatic water system. In cold weather, the recirculating pump keeps heated water moving through the lines to prevent freeze-ups down to 13 °F. One pump/tank unit is capable of servicing approximately 200 ft of $\frac{1}{2}$ " line. The $\frac{1}{2}$ " MPT inlet and $\frac{1}{2}$ " FPT outlet are adaptable to most any connection needed. Includes submersible heater with built-in automatic shut-off if water runs out. Shipping wt. 15 lbs.

NOT FOR USE WITH <u>ANY</u> FLEXIBLE TUBE SYSTEM OR MONOFLO WATER VALVES!



Galvanized Pipe Clamp

Holds PVC pipe away from cage wire Clamp for ½" O.D. pipe (½" CPVC)

Stock No. A819.....\$0.29 ea.



Skinning Hooks

Plated steel hooks properly shaped to hold rabbit in the correct position for dressing. Made of heavy steel rod with eye for attaching to wall. Shipping wt 4 oz / pr.



Phone:1-800-237-3899 Email: klubertanz@ticon.net Web: www.klubertanz.com